

# Reweighting of binaural localization cues in virtual environment

Lucia Hucková<sup>1</sup> and Norbert Kopčo<sup>1</sup>

<sup>1</sup>Institute of Computer Science, P.J.Šafárik University, Šrobárová 2, 041 80 Košice, Slovakia  
lucia.huckova@student.upjs.sk, norbert.kopco@upjs.sk

## Abstract

The auditory system combines the binaural cues of interaural time difference (ITD) and interaural level difference (ILD) to determine the sound source location. The combining is frequency dependent. ITD dominates for low-frequency (LF) sounds and ILD for high-frequency (HF) sounds. We can experimentally measure the relative ITD/ILD weight by a localization task. A previous study (Spišák et al., 2021) showed that visually guided training on HF vs LF components in real environment induces reweighting in the binaural localization cues such that the ILD weight increases independent of the training type. We performed a follow-up experiment in real reverberant and virtual anechoic environments without training to examine the cause of the observed ILD weight increase. No reweighting was observed in this experiment, suggesting that the reweighting observed by Spišák et al. was not caused by mere exposure to different environments and that active localization is necessary to induce the binaural adaptation.

## 1 Introduction

Spatial auditory perception allows us to localize sounds and to separate sounds, e.g., when listening to speech in complex environments. Sound localization includes judgements about the direction (left/right and up/down) and distance of a sound source (Moore, 2013)<sup>1</sup>. When we are presented with a sound from any position in azimuth, we can localize it due to two possible cues of the sound source an interaural time difference (ITD) and an interaural level difference (ILD). The way ITD or ILD contributes to the localization of the sound depends on the frequency content of the sound. At lower frequencies, ITDs are dominant. For higher frequencies, ILDs are dominant (Klingel et al. 2021). A previous study showed that, when listeners are trained to change the spectral weighting of components for localization in real environment, the spectral reweighting always results in an increase in the ILD weight (Spisak et al., 2021). Here, we examined

whether performance of localization test in a real environment is sufficient to induce this binaural reweighting. Additionally, the study provides a control condition measurement for the Spisak et al. results.

## 2 Methods

An experiment was performed, consisting of 2 parts, pretest and posttest, performed in virtual environment (VE) and real environment (RE), using methods similar to Spisak et al. (2021).

### 2.1 Setup and stimuli

In real environment, 11 loudspeakers were placed in a semicircle around the subject with  $11.25^\circ$  spacing (range  $\pm 56.25^\circ$ ) in a dark reverberant room. Position of the head was recorded using a headtracker. 5 types of stimuli were created using 0.5-octave noise bands at different frequencies. Low frequency stimuli were 0.35 kHz and 0.7 kHz, mid-frequency stimuli were 2.8 kHz and high frequency stimuli were 5.6 kHz and 11.2 kHz. 2 types of stimuli that were presented are: 1, 2-channel stimulus: 1 HF and 1 LF channel from locations separated by 1 or 2 speakers; 2, 4-channel stimulus: 2 HF and 2 LF channels from locations 1-2 speakers apart. Subject's task was to rotate their head towards the perceived sound location. Position of the head was guided with visual feedback. The experiment in virtual environment took place in a double-walled soundproof booth. We used ITD/ILD combination corresponding to one of 40 possible positions in horizontal plane in range from  $\pm 70.2^\circ$  with spacing of  $3.6^\circ$ . The stimuli were 1-octave noises with center frequency 2.8 kHz. Subject's task was the same as in RE.

### 2.2 Experimental design

14 subjects were divided in two groups, one performed experiment in real and virtual environment (7 subjects, OR group) and one performed only virtual part (7 subjects. O group). The sequence of tests for the OR group was: day 1 (VE pretraining, VE pretest, RE pretest), day 2-4 (no training), day 5 (RE posttest, VE posttest). The sequence for the O group was identical, except that no RE tests were performed. Thus, if the

<sup>1</sup> Moore (2013) stated for headphones term "lateralization" to describe the apparent location of the sound source within the head.

RE posttest performed immediately before the VE posttest was the main cause of the increased ILD weight in Spisak et al., then it was expected that it would be observed in the OR but not in the O group.

### 3 Results

Linear regression was used to estimate  $w_{HL}$  (the spectral weight of HF vs. LF components) and binaural weight  $w_{LT}$  (weight of ILD vs ITD cues). Weight of 1 means that subject oriented only according to HF/ILD component and 0 that subject oriented only according to LF/ITD component. Weights were averaged across azimuth as training effects were similar across azimuth. Fig. 1 show weights in RE for our data with no training (NoT group) and Spišák's data (LF and HF group, trained for given component). From pretest to posttest NoT weights showed no significant increase. This was expected because we omitted training. On the other hand, LF and HF group changed its spectral weighting in desired direction (results confirmed by ANOVA).




Fig. 1: Mean ( $\pm$ SEM) weights  $w_{HL}$  for different groups in pretest and posttest, averaged across locations.

On Figs. 2 and 3 we see results from VE. Fig. 2 is showing no significant change in weights of OR and O group, meaning that RE posttest done before VE posttest has no effect. Fig. 3 is a comparison of trained vs. not trained groups. Spišák observed the increase of ILD weight independent of the training group, the change was significant in the same direction for all groups. For our no training group, change in pretest to posttest was not significant and change in reweighting was not dependent on a group.

### 4 Summary and discussion

Results from RE show that change in spectral weighting does not occur, as we expected because no training of HF and LF components was present. Based on previous results we hypothesized that performing a posttest in real room immediately before the VE posttest may have caused the increased ILD weight. However, the results from virtual environment do not

show the expected effect as no significant re-weighting occurred from pretest to posttest. Thus, a change in weighting cannot occur by changing from an anechoic environment to an echoic one, nor does it occur by getting used to an echoic room, but only by visual training in real environment. However, what aspect of the training is important is still unknown.




Fig. 2: Mean ( $\pm$ SEM) weights  $w_{LT}$  for O and OR group in pretest and posttest, averaged across locations.




Fig. 3: Mean ( $\pm$ SEM) weights  $w_{LT}$  for different groups in pretest and posttest, averaged across locations.

### Acknowledgment

This work was supported by VEGA 1/0350/22.

### Literature

Spisak, O., Klingel, M., Lokša, P., Šebeňa, R., Laback, B., & Kopčo, N. (2021). "Reweighting the contributions of spectral regions to sound localization and its impact on binaural-cue reweighting", Proceedings of DAGA 2021, Vienna.

Klingel, M., Kopčo, N., Laback, B. (2021). Reweighting of Binaural Localization Cues Induced by Lateralization Training. Journal of the Association for Research in Otolaryngology. 22.

Moore BCJ.(2013). An Introduction to the Psychology of Hearing, Sixth Edition. Leiden, Boston, p. 245-281



# Kognícia a umelý život 2023

zostavili

Igor Farkaš

Eva Ballová Mikušková

Martin Takáč

Kristína Malinovská

Matej Fndl

2023

Univerzita Komenského v Bratislave



CSPV SAV



GRATEX  
INTERNATIONAL



Financovaný  
Európskou úniou

Smolenický zámok

Smolenice

1.6. – 3.6.2023

Kognícia a umelý život 2023  
(recenzovaný zborník)

Tento zborník bol podporený Kultúrnou a edukačnou grantovou agentúrou (KEGA) MŠVVaŠ SR, projekt č. 022UK-4/2023, a Agentúrou na podporu výskumu a vývoja, projekt č. APVV-20-0335.

Recenzenti príspevkov:

PhDr. Eva Ballová Mikušková, PhD.  
doc. Ing. Mgr. Jozef Bavoňár, PhD.  
Ing. Ondřej Bečev, PhD.  
prof. RNDr. Ľubica Beňušková, PhD.  
RNDr. Zuzana Berger Haladová, PhD.  
RNDr. Barbora Cimrová, PhD.  
Mgr. Matej Fndl  
prof. Ing. Igor Farkaš, Dr.  
doc. Ing. Peter Lacko, PhD.  
Mgr. Barbara Lášticová, PhD.

RNDr. Andrej Lúčny, PhD.  
RNDr. Kristína Malinovská, PhD.  
Mgr. Matej Pecháč  
Mgr. Xenia Daniela Poslon, PhD.  
doc. Ing. Branislav Sobota PhD.  
prof. PhDr. Marián Špajdel, PhD.  
doc. RNDr. Martin Takáč, PhD.  
Mgr. Branislav Uhrecký, PhD.  
Mgr. Michal Vavrečka, PhD.

Vydavateľ:  
Univerzita Komenského v Bratislave  
Šafárikovo nám. 6  
814 99 Bratislava

Zostavili:  
© prof. Ing. Igor Farkaš, Dr.  
© PhDr. Eva Ballová Mikušková, PhD.  
© doc. RNDr. Martin Takáč, PhD.  
© RNDr. Kristína Malinovská, PhD.  
© Mgr. Matej Fndl

Autorské práva: © autori príspevkov, 2023

Dizajn obálky: © Kristína Malinovská, 2023

Tlač: Univerzita Komenského v Bratislave

Bratislava jún 2023

**ISBN 978-80-223-5610-7 (online)**

# Predslov

Milé kolegyne a kolegovia,

vstupujeme už do tretej dekády organizovania česko-slovenskej konferencie Kognícia a umelý život (KUŽ), vďaka našej životoschopnej komunite, ktorá prispieva k rozvoju interdisciplinárnej kognitívnej vedy. Minulý rok sa KUŽ po dvojročnej prestávke spôsobenej pandémiou konal v Třešti v ČR, preto sme tradične prevzali štafetový kolík a 21. ročník konferencie organizujeme na Slovensku, tentokrát v krásnom historickom prostredí Smolenického zámku v Smoleniciach.

Ďakujeme za vaše zaujímavé príspevky, vďaka ktorým sme mohli zostaviť pestrý program. Dúfame, že v publikovaných dlhých i krátkych príspevkoch v elektronickom zborníku nájdete inšpiračné zdroje pre ďalšie skúmanie v oblastiach vášho záujmu.

Tradičným obohatením programu sú pozvané odborné prednášky, ktoré budú tento krát štyri. Prof. Ľubica Beňušková (Univerzita Komenského v Bratislave) nás uvedie do sveta výpočtovej neurovedy a neurogenetického modelovania mozgu. Dr. Martin Majerník (MindMed, Ltd.) sa bude vo svojej prednáške zaoberať skúmaním liekov inšpirovaných psychedelikami a digitálnou diagnostikou duševných porúch. Dr. Čeněk Šašinka (Masarykova univerzita v Brne) nás zasvätí do tajov imerzívnej virtuálnej reality ako prostriedku na extenziu ľudskej kognície, a privítá nás aj na súvisiacom workshope. Napokon, Dr. Alistair Knott (Victoria University of Wellington, Nový Zéland) vnesie do konferencie širší internacionálny rozmer a oboznámi nás s oblasťou búrlivo sa rozvíjajúcej umelej inteligencie a spektre debát týkajúcich sa potreby jej celosvetovej regulácie.

Na KUŽ 2023 budú prezentované tradične pestré témy príspevkov, ktoré prešli recenzným konaním, a to vďaka ochote a poctivej práci 19 oslovených recenzentov, za čo im srdečne ďakujeme. Opäť sme pripravili aj posterovú sekciu, ktorá umožňuje dlhšie interakcie autorov so záujemcami.

Okrem odborného programu máme v ponuke pripravenú aj spoločenskú aktivitu, exkurziu vo výrobni medoviny vo firme Včelco v Smoleniciach, spojenú s ochutnávkou rôznych druhov tohto sladkého moku. Veríme, že toto bude zaujímavým spestrením konferencie, na ktoré potom nadviaže večerný raut v priestoroch zámku.

Za všetkými týmito organizačnými krokmi je aktivita konkrétnych ľudí. Veľké podčiarkovanie patrí členom Centra pre kognitívnu vedu na Fakulte matematiky, fyziky a informatiky Univerzity Komenského v Bratislave. Osobitne oceňujeme nezistnú prácu Martina Takáča, Kristíny Malinovskej, Mateja Fandla a našej novej kolegyne Ninu Zmajkovič Kučerákovej. Realizácia konferencie KUŽ 2023 bola podporená Kultúrnou a edukačnou agentúrou Ministerstva školstva, vedy, výskumu a športu Slovenskej republiky (KEGA) v rámci projektu č. 022UK-4/2023, ako aj Slovenskou spoločnosťou pre kognitívnu vedu. Ďakujeme aj za sponzorskú podporu firme Gratex International, spol. s r.o.

Užite si príjemné momenty na KUŽ 2023 v tradičnej piateľskej atmosfére a kontexte podnetných rozhovorov týkajúcich sa nielen kognitívnej vedy.

Igor Farkaš

*Centrum pre kognitívnu vedu, FMFI, Univerzita Komenského v Bratislave*

Eva Ballová Mikušková

*Centrum spoločenských a psychologických vied, v.v.i., Slovenská akadémia vied, Bratislava*

# Obsah

Pozvaní rečníci . . . . .	6
Trial-to-trial Contextual Adaptation in Sound Localization <i>Gabriela Andrejková, Stanislava Linková, Norbert Kopčo</i> . . . . .	10
Comparison of people with and without COVID-19 in their unfounded beliefs <i>Eva Ballová Mikušková, Peter Teličák</i> . . . . .	12
Zkoumání Sense of Agency metodami neinvazivní mozkové stimulace <i>Ondřej Bečev, Olga Laskov, Eduard Bakštein, Nina Biačková, Tomáš Novák, Pavel Mohr, Monika Klírová</i> . . . . .	14
The relationship between education and non-normative political behaviour: The mediating effect of conspiracy beliefs <i>Juliána Bujňáková, Eva Ballová Mikušková</i> . . . . .	20
Etika letálních autonomních vojenských robotů <i>David Černý</i> . . . . .	22
Dizajn nového učiaceho pravidla pre moderné Hopfieldove siete <i>Matej Fndl, Martin Takáč</i> . . . . .	26
Dôveryhodnosť v výpočtových modeloch v umelej inteligencii a robotike <i>Igor Farkaš</i> . . . . .	28
Viacvrstvové neurónové siete s učiacimi sa produktovými neurónmi <i>Slavomír Holenda, Kristína Malinovská, Ludovít Malinovský</i> . . . . .	30
Reweighting of binaural localization cues in virtual environment <i>Lucia Hucková, Norbert Kopčo</i> . . . . .	34
Arousal a agrese: Vliv soutěživosti v násilných videohrách <i>Filip Kyslík, Vojtěch Juřík, Oto Janoušek</i> . . . . .	36
Asociovanie videného obrazu a motorickej akcie na jeden pokus <i>Andrej Lúčny</i> . . . . .	41

Unraveling the hidden Influence of Ernst Mach on the Foundations of Cognitive Science – Interdisciplinary approach <i>Ján Pastorek, Isabella Sarto-Jackson</i> . . . . .	45
Explorácia pomocou internej motivácie a samokontrolovaného učenia <i>Matej Pecháč, Igor Farkaš</i> . . . . .	47
Co na srdci, to na jazyku? <i>Jan Pešán, Vojtěch Juřík</i> . . . . .	49
Vplyv subjektívnej vizuálnej senzitívity na percepciu času <i>Alexandra Ružičková, Vojtěch Juřík, Lenka Jurkovičová, Jan Páleník</i> . . . . .	52
Využitie samoorganizácie v čiastočne riadenom učení hlbokých neurónových sietí <i>Sabína Samporová, Kristína Malinovská</i> . . . . .	58
Demografické a kognitívne prediktory klimatického skepticizmu <i>Beáta Sobotová, Jakub Šrol, Magdalena Adamus</i> . . . . .	62
Poetická autopoiesis <i>Ales Svoboda</i> . . . . .	64
Imerzivní virtuální realita jako nástroj pro simulaci evakuačního chování <i>Čeněk Šašinka, Zdeněk Stachoň, Alžběta Šašinková, Kateřina Jochecová</i> . . . . .	66
Paradoxy hodnotovej orientácie Sloveniek a Slovákov: demokratické hodnoty a pravicové autoritárstvo <i>Jakub Šrol, Vladimíra Čavojová</i> . . . . .	69
Čo chýba ChatGPT k tomu, aby rozumel, čo robí? <i>Martin Takáč</i> . . . . .	74
Stavová úzkosť po vystavení výškovej situácie vo virtuálnej realite - rola pocitov prítomnosti a stelesnenia <i>Kristína Varšová, Vojtěch Juřík, Oto Janoušek</i> . . . . .	76
Robotická manipulace pomocí sekvence neurálních modulů s vlastní policy <i>Michal Vavrečka, Jonas Kříž, Nikita Sokovnin, Gabriela Šejnová</i> . . . . .	83
Jak přemítat o umělé inteligenci <i>Jiří Wiedermann</i> . . . . .	87
Register autorov . . . . .	95